

Product Description- 2914 is a fixed formula, irradiated diet manufactured with high quality ingredients designed to promote longevity and normal body weight in rodents. 2914 does not contain alfalfa or soybean meal, thus minimizing the occurrence of phytoestrogens. Typical isoflavone concentrations (daidzein + genistein aglycone equivalents) range from non-detectable to 20 mg/kg. Exclusion of alfalfa reduces chlorophyll, improving optical imaging clarity. Absence of fish meal minimizes the presence of nitrosamines. Diet is exposed to irradiation dose not exceeding 50 kGy. **Related codes 2014, 2014C (certified).**

Macronutrients		
Crude Protein	%	14.3
Fat (ether extract) ^a	%	3.7
Carbohydrate (available) ^b	%	48.0
Crude Fiber	%	4.1
Neutral Detergent Fiber ^c	%	18.0
Ash	%	4.7
Energy Density ^d	kcal/g (kJ/g)	2.9 (12.1)
Calories from Protein	%	20
Calories from Fat	%	13
Calories from Carbohydrate	%	67
Minerals		
Calcium	%	0.7
Phosphorus	%	0.65
Non-Phytate Phosphorus	%	0.3
Sodium	%	0.1
Potassium	%	0.6
Chloride	%	0.3
Magnesium	%	0.2
Zinc	mg/kg	70
Manganese	mg/kg	100
Copper	mg/kg	15
Iodine	mg/kg	6
Iron	mg/kg	175
Selenium	mg/kg	0.23
Amino Acids		
Aspartic Acid	%	0.9
Glutamic Acid	%	2.9
Alanine	%	0.9
Glycine	%	0.7
Threonine	%	0.5
Proline	%	1.2
Serine	%	0.7
Leucine	%	1.4
Isoleucine	%	0.6
Valine	%	0.7
Phenylalanine	%	0.7
Tyrosine	%	0.4
Methionine	%	0.3
Cystine	%	0.3
Lysine	%	0.7
Histidine	%	0.4
Arginine	%	0.8
Tryptophan	%	0.2

Ingredients (in descending order of inclusion)- Wheat middlings, ground wheat, ground corn, corn gluten meal, calcium carbonate, soybean oil, dicalcium phosphate, iodized salt, L-lysine, vitamin E acetate, DL-methionine, calcium propionate, magnesium oxide, choline chloride, manganous oxide, ferrous sulfate, menadione sodium bisulfite complex (source of vitamin K activity), zinc oxide, copper sulfate, niacin, calcium pantothenate, calcium iodate, pyridoxine hydrochloride, riboflavin, thiamin mononitrate, vitamin A acetate, vitamin B₁₂ supplement, folic acid, cobalt carbonate, biotin, vitamin D₃ supplement.

Standard Product Form: **Pellet**

Vitamins		
Vitamin A ^{e, f}	IU/g	6.0
Vitamin D ₃ ^{e, g}	IU/g	0.6
Vitamin E	IU/kg	120
Vitamin K ₃ (menadione)	mg/kg	20
Vitamin B ₁ (thiamin)	mg/kg	12
Vitamin B ₂ (riboflavin)	mg/kg	6
Niacin (nicotinic acid)	mg/kg	54
Vitamin B ₆ (pyridoxine)	mg/kg	10
Pantothenic Acid	mg/kg	17
Vitamin B ₁₂ (cyanocobalamin)	mg/kg	0.03
Biotin	mg/kg	0.26
Folate	mg/kg	2
Choline	mg/kg	1030
Fatty Acids		
C16:0 Palmitic	%	0.5
C18:0 Stearic	%	0.1
C18:1ω9 Oleic	%	0.7
C18:2ω6 Linoleic	%	2.0
C18:3ω3 Linolenic	%	0.1
Total Saturated	%	0.6
Total Monounsaturated	%	0.7
Total Polyunsaturated	%	2.1
Other		
Cholesterol	mg/kg	--

Shelf life: With proper storage, diet is suitable for use out to 9 months.

www.inotivco.com/shelf-life-of-diets-used-in-research

^a Ether extract is used to measure fat in pelleted diets, while an acid hydrolysis method is required to recover fat in extruded diets. Compared to ether extract, the fat value for acid hydrolysis will be approximately 1% point higher.

^b Carbohydrate (available) is calculated by subtracting neutral detergent fiber from total carbohydrates.

^c Neutral detergent fiber is an estimate of insoluble fiber, including cellulose, hemicellulose, and lignin. Crude fiber methodology underestimates total fiber.

^d Energy density is a calculated estimate of *metabolizable energy* based on the Atwater factors assigning 4 kcal/g to protein, 9 kcal/g to fat, and 4 kcal/g to available carbohydrate.

^e Indicates added amount but does not account for contribution from other ingredients.

^f 1 IU vitamin A = 0.3 μg retinol

^g 1 IU vitamin D = 25 ng cholecalciferol

For nutrients not listed, insufficient data is available to quantify.

Nutrient data represent the best information available, calculated from published values and direct analytical testing of raw materials and finished product. Nutrient values may vary due to the natural variations in the ingredients, analysis, and effects of processing.