

**HISTORICAL CONTROL DATA OF Absolute and Relative Organ Weights
HsdRccHanTM: WIST, Wistar Hannover Rats**

Compiled from Toxicity Studies performed at RCC Ltd. Itingen/Switzerland

Contents:

Table 1	Body Weight	3
Table 2	Brain	3
Table 3	Pituitary	4
Table 4	Adrenal (L)	4
Table 5	Adrenal (R)	5
Table 6	Adrenals	6
Table 7	Thyroids glands	7
Table 8	Heart	8
Table 9	Lungs	9
Table 10	Liver	10
Table 11	Caecum empty	11
Table 12	Caecum full	11
Table 13	Mandibular Salivary Gland	11
Table 14	Sublingual Salivary Gland	11
Table 15	Parotis	12
Table 16	Salivary Gland	12
Table 17	Kidney (L)	13
Table 18	Kidney (R)	13
Table 19	Kidneys	14
Table 20	Urinary Bladder	15
Table 21	Testis (L)	15
Table 22	Testis (R)	15
Table 23	Testes	16
Table 24	Epididymides (L)	16
Table 25	Epididymides (R)	16
Table 26	Epididymides	17
Table 27	Prostate	17
Table 28	Seminal Vesicle	17
Table 29	Seminal Vesicles with Prostate Glands	18
Table 30	Ovaries (L)	18
Table 31	Ovaries (R)	18
Table 32	Ovaries	18
Table 33	Uterus	19
Table 34	Mesenterial Lymph Nodes	19
Table 35	Mandibular Lymph Nodes	20
Table 36	Mediastinal Lymph Nodes	20
Table 37	Popliteal Lymph Nodes	21
Table 38	Thymus	22
Table 39	Spleen	23

Abbreviations:

OWT Absolute Organ weight

OBO Organ / Body weight Ratio

OBR Organ / Brain weight Ratio

Table 1: Body Weight [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
< 8 WEEKS	OWT	M	1	6	181.270	14.263	167.900	205.280	172.700	191.740
8 - 12 WEEKS	OWT	M	190	1227	282.328	31.606	163.210	393.320	224.220	329.390
13 - 18 WEEKS	OWT	M	114	625	326.673	32.255	246.370	446.590	274.890	385.470
19 - 40 WEEKS	OWT	M	72	1082	424.325	50.075	276.750	609.260	352.220	511.720
41 - 70 WEEKS	OWT	M	9	137	548.617	57.121	432.550	686.680	463.890	647.940
> 70 WEEKS	OWT	M	8	295	658.269	109.249	313.820	1101.300	498.960	827.200
8 - 12 WEEKS	OWT	F	175	1112	185.058	16.009	133.580	240.750	160.340	210.940
13 - 18 WEEKS	OWT	F	116	672	204.130	17.315	159.690	281.660	178.560	235.040
19 - 40 WEEKS	OWT	F	75	1102	240.130	22.636	178.840	329.300	205.260	280.650
41 - 70 WEEKS	OWT	F	9	139	289.473	35.639	215.380	388.690	241.400	361.770
> 70 WEEKS	OWT	F	8	288	375.317	65.703	159.050	631.400	277.020	474.390

Table 2: Brain [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
< 8 WEEKS	OWT	M	1	6	1.800	0.111	1.648	1.958	1.706	1.866
< 8 WEEKS	OBO	M	1	6	0.995	0.053	0.943	1.080	0.954	1.037
8 - 12 WEEKS	OWT	M	189	1222	1.940	0.088	1.671	2.277	1.801	2.095
8 - 12 WEEKS	OBO	M	189	1222	0.694	0.072	0.525	1.070	0.599	0.830
13 - 18 WEEKS	OWT	M	113	615	1.985	0.077	1.755	2.269	1.852	2.110
13 - 18 WEEKS	OBO	M	113	615	0.613	0.055	0.470	0.795	0.524	0.710
19 - 40 WEEKS	OWT	M	72	1082	2.091	0.096	1.765	2.503	1.942	2.252
19 - 40 WEEKS	OBO	M	72	1082	0.498	0.053	0.342	0.705	0.416	0.586
41 - 70 WEEKS	OWT	M	9	137	2.170	0.100	1.921	2.463	2.020	2.332
41 - 70 WEEKS	OBO	M	9	137	0.399	0.042	0.315	0.511	0.330	0.464
> 70 WEEKS	OWT	M	6	224	2.230	0.099	1.971	2.469	2.070	2.387
> 70 WEEKS	OBO	M	6	224	0.351	0.065	0.210	0.688	0.268	0.461
8 - 12 WEEKS	OWT	F	175	1112	1.824	0.079	1.562	2.172	1.700	1.953
8 - 12 WEEKS	OBO	F	175	1112	0.992	0.082	0.741	1.340	0.867	1.124
13 - 18 WEEKS	OWT	F	114	657	1.859	0.077	1.581	2.100	1.736	1.996
13 - 18 WEEKS	OBO	F	114	657	0.917	0.073	0.674	1.155	0.796	1.039
19 - 40 WEEKS	OWT	F	75	1102	1.924	0.084	1.645	2.287	1.797	2.063
19 - 40 WEEKS	OBO	F	75	1102	0.807	0.072	0.597	1.065	0.700	0.930
41 - 70 WEEKS	OWT	F	9	139	1.975	0.145	0.613	2.216	1.844	2.127
41 - 70 WEEKS	OBO	F	9	139	0.691	0.087	0.239	0.895	0.563	0.804
> 70 WEEKS	OWT	F	6	216	2.027	0.085	1.748	2.305	1.897	2.150
> 70 WEEKS	OBO	F	6	216	0.552	0.108	0.338	1.160	0.418	0.737

Table 3: Pituitary [g. %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	11	114	0.009	0.002	0.006	0.015	0.007	0.012
8 - 12 WEEKS	OBO	M	11	114	0.003	0.001	0.002	0.005	0.002	0.004
8 - 12 WEEKS	OBR	M	11	114	0.452	0.070	0.318	0.717	0.350	0.569
13 - 18 WEEKS	OWT	M	9	52	0.010	0.001	0.007	0.013	0.008	0.012
13 - 18 WEEKS	OBO	M	9	52	0.003	0.000	0.002	0.004	0.002	0.004
13 - 18 WEEKS	OBR	M	9	52	0.485	0.070	0.357	0.649	0.400	0.609
19 - 40 WEEKS	OWT	M	6	87	0.010	0.002	0.007	0.015	0.008	0.012
19 - 40 WEEKS	OBO	M	6	87	0.002	0.000	0.002	0.003	0.002	0.003
19 - 40 WEEKS	OBR	M	6	87	0.463	0.068	0.306	0.688	0.375	0.554
> 70 WEEKS	OWT	M	1	42	0.027	0.050	0.009	0.302	0.010	0.025
> 70 WEEKS	OBO	M	1	42	0.005	0.012	0.001	0.075	0.002	0.005
> 70 WEEKS	OBR	M	1	42	1.208	2.304	0.397	13.804	0.449	1.110
8 - 12 WEEKS	OWT	F	9	94	0.012	0.002	0.008	0.017	0.009	0.015
8 - 12 WEEKS	OBO	F	9	94	0.006	0.001	0.004	0.008	0.005	0.008
8 - 12 WEEKS	OBR	F	9	94	0.666	0.098	0.419	0.864	0.519	0.808
13 - 18 WEEKS	OWT	F	9	72	0.014	0.002	0.010	0.022	0.011	0.018
13 - 18 WEEKS	OBO	F	9	72	0.007	0.001	0.005	0.010	0.005	0.008
13 - 18 WEEKS	OBR	F	9	72	0.758	0.111	0.535	1.124	0.599	0.928
19 - 40 WEEKS	OWT	F	6	88	0.015	0.003	0.009	0.026	0.012	0.020
19 - 40 WEEKS	OBO	F	6	88	0.006	0.001	0.004	0.011	0.005	0.008
19 - 40 WEEKS	OBR	F	6	88	0.797	0.151	0.518	1.427	0.588	1.017
> 70 WEEKS	OWT	F	1	39	0.069	0.106	0.012	0.506	0.015	0.289
> 70 WEEKS	OBO	F	1	39	0.022	0.034	0.003	0.155	0.004	0.086
> 70 WEEKS	OBR	F	1	39	3.415	5.214	0.613	24.688	0.727	14.152

Table 4: Adrenal (L) [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	1	10	0.036	0.004	0.029	0.043	0.032	0.040
8 - 12 WEEKS	OBO	M	1	10	0.011	0.002	0.009	0.015	0.010	0.013
8 - 12 WEEKS	OBR	M	1	10	1.828	0.230	1.477	2.199	1.523	2.051
13 - 18 WEEKS	OWT	M	1	5	0.041	0.004	0.034	0.044	0.041	0.044
13 - 18 WEEKS	OBO	M	1	5	0.011	0.001	0.010	0.013	0.011	0.012
13 - 18 WEEKS	OBR	M	1	5	2.045	0.157	1.788	2.180	2.046	2.163
8 - 12 WEEKS	OWT	F	1	10	0.036	0.006	0.030	0.044	0.030	0.043
8 - 12 WEEKS	OBO	F	1	10	0.018	0.002	0.015	0.022	0.016	0.021
8 - 12 WEEKS	OBR	F	1	10	2.002	0.322	1.654	2.521	1.667	2.439
13 - 18 WEEKS	OWT	F	1	5	0.049	0.012	0.037	0.065	0.037	0.054
13 - 18 WEEKS	OBO	F	1	5	0.023	0.005	0.017	0.028	0.017	0.027
13 - 18 WEEKS	OBR	F	1	5	2.551	0.558	1.923	3.228	2.023	2.793

Table 5: Adrenal (R) [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	1	10	0.033	0.004	0.024	0.038	0.029	0.038
8 - 12 WEEKS	OBO	M	1	10	0.010	0.002	0.007	0.014	0.009	0.012
8 - 12 WEEKS	OBR	M	1	10	1.682	0.246	1.197	2.043	1.405	1.945
13 - 18 WEEKS	OWT	M	1	5	0.037	0.005	0.030	0.044	0.037	0.037
13 - 18 WEEKS	OBO	M	1	5	0.010	0.001	0.009	0.012	0.009	0.011
13 - 18 WEEKS	OBR	M	1	5	1.863	0.233	1.582	2.195	1.731	1.965
8 - 12 WEEKS	OWT	F	1	10	0.035	0.005	0.028	0.042	0.029	0.042
8 - 12 WEEKS	OBO	F	1	10	0.017	0.002	0.015	0.020	0.015	0.019
8 - 12 WEEKS	OBR	F	1	10	1.935	0.307	1.538	2.381	1.609	2.367
13 - 18 WEEKS	OWT	F	1	5	0.041	0.011	0.030	0.056	0.031	0.048
13 - 18 WEEKS	OBO	F	1	5	0.020	0.006	0.014	0.029	0.014	0.022
13 - 18 WEEKS	OBR	F	1	5	2.156	0.547	1.546	2.863	1.662	2.377

Table 6: Adrenals [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
< 8 WEEKS	OWT	M	1	6	0.058	0.008	0.047	0.067	0.052	0.065
< 8 WEEKS	OBO	M	1	6	0.032	0.006	0.025	0.039	0.027	0.037
< 8 WEEKS	OBR	M	1	6	3.238	0.557	2.598	3.829	2.776	3.719
8 - 12 WEEKS	OWT	M	186	1202	0.063	0.010	0.034	0.103	0.047	0.079
8 - 12 WEEKS	OBO	M	186	1202	0.022	0.004	0.011	0.036	0.017	0.029
8 - 12 WEEKS	OBR	M	185	1197	3.222	0.497	1.801	5.580	2.451	4.107
13 - 18 WEEKS	OWT	M	111	605	0.064	0.010	0.040	0.105	0.051	0.082
13 - 18 WEEKS	OBO	M	111	605	0.020	0.003	0.011	0.032	0.015	0.025
13 - 18 WEEKS	OBR	M	111	605	3.248	0.484	2.009	5.262	2.564	4.095
19 - 40 WEEKS	OWT	M	69	1047	0.060	0.009	0.032	0.096	0.046	0.076
19 - 40 WEEKS	OBO	M	69	1047	0.014	0.003	0.007	0.025	0.010	0.019
19 - 40 WEEKS	OBR	M	69	1047	2.886	0.448	1.545	4.336	2.209	3.702
41 - 70 WEEKS	OWT	M	9	137	0.059	0.010	0.034	0.086	0.044	0.077
41 - 70 WEEKS	OBO	M	9	137	0.011	0.002	0.007	0.016	0.008	0.014
41 - 70 WEEKS	OBR	M	9	137	2.702	0.449	1.561	3.979	1.994	3.448
> 70 WEEKS	OWT	M	6	224	0.068	0.015	0.037	0.126	0.049	0.093
> 70 WEEKS	OBO	M	6	224	0.011	0.003	0.007	0.037	0.007	0.016
> 70 WEEKS	OBR	M	6	224	3.068	0.675	1.691	5.952	2.245	4.156
8 - 12 WEEKS	OWT	F	174	1102	0.076	0.011	0.046	0.115	0.058	0.096
8 - 12 WEEKS	OBO	F	174	1102	0.041	0.006	0.026	0.065	0.032	0.052
8 - 12 WEEKS	OBR	F	174	1102	4.142	0.605	2.490	6.319	3.232	5.211
13 - 18 WEEKS	OWT	F	113	652	0.078	0.012	0.048	0.140	0.060	0.098
13 - 18 WEEKS	OBO	F	113	652	0.038	0.006	0.025	0.064	0.029	0.048
13 - 18 WEEKS	OBR	F	112	647	4.180	0.624	2.678	6.692	3.231	5.254
19 - 40 WEEKS	OWT	F	72	1061	0.074	0.012	0.041	0.134	0.056	0.095
19 - 40 WEEKS	OBO	F	72	1061	0.031	0.005	0.014	0.050	0.023	0.041
19 - 40 WEEKS	OBR	F	72	1061	3.846	0.637	2.112	6.664	2.916	4.952
41 - 70 WEEKS	OWT	F	9	139	0.069	0.012	0.039	0.107	0.049	0.087
41 - 70 WEEKS	OBO	F	9	139	0.024	0.005	0.013	0.043	0.017	0.032
41 - 70 WEEKS	OBR	F	9	139	3.525	0.816	2.069	9.727	2.516	4.603
> 70 WEEKS	OWT	F	6	216	0.076	0.026	0.044	0.357	0.054	0.102
> 70 WEEKS	OBO	F	6	216	0.021	0.008	0.011	0.102	0.014	0.030
> 70 WEEKS	OBR	F	6	216	3.734	1.372	2.110	20.006	2.708	4.811

Table 7: Thyroids glands [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	27	219	0.020	0.004	0.010	0.034	0.013	0.027
8 - 12 WEEKS	OBO	M	27	219	0.007	0.002	0.004	0.015	0.005	0.010
8 - 12 WEEKS	OBR	M	27	219	1.025	0.215	0.520	1.770	0.686	1.417
13 - 18 WEEKS	OWT	M	12	68	0.022	0.005	0.015	0.043	0.016	0.028
13 - 18 WEEKS	OBO	M	12	68	0.007	0.002	0.004	0.015	0.005	0.010
13 - 18 WEEKS	OBR	M	12	68	1.098	0.227	0.790	2.012	0.816	1.399
19 - 40 WEEKS	OWT	M	37	540	0.026	0.006	0.010	0.055	0.017	0.037
19 - 40 WEEKS	OBO	M	37	540	0.006	0.001	0.003	0.013	0.004	0.009
19 - 40 WEEKS	OBR	M	37	540	1.257	0.294	0.572	2.571	0.836	1.790
41 - 70 WEEKS	OWT	M	3	44	0.033	0.007	0.021	0.052	0.024	0.046
41 - 70 WEEKS	OBO	M	3	44	0.006	0.001	0.003	0.010	0.004	0.009
41 - 70 WEEKS	OBR	M	3	44	1.499	0.307	0.996	2.248	1.086	2.075
> 70 WEEKS	OWT	M	1	42	0.039	0.008	0.021	0.058	0.027	0.049
> 70 WEEKS	OBO	M	1	42	0.007	0.001	0.004	0.010	0.005	0.009
> 70 WEEKS	OBR	M	1	42	1.752	0.340	0.920	2.494	1.309	2.276
8 - 12 WEEKS	OWT	F	22	167	0.018	0.004	0.010	0.033	0.013	0.024
8 - 12 WEEKS	OBO	F	22	167	0.010	0.002	0.006	0.017	0.007	0.013
8 - 12 WEEKS	OBR	F	22	167	0.996	0.207	0.535	1.866	0.708	1.371
13 - 18 WEEKS	OWT	F	13	114	0.018	0.005	0.008	0.031	0.011	0.026
13 - 18 WEEKS	OBO	F	13	114	0.009	0.002	0.004	0.014	0.005	0.013
13 - 18 WEEKS	OBR	F	13	114	0.968	0.240	0.457	1.676	0.607	1.370
19 - 40 WEEKS	OWT	F	38	547	0.022	0.005	0.009	0.040	0.014	0.032
19 - 40 WEEKS	OBO	F	38	547	0.009	0.002	0.004	0.017	0.006	0.013
19 - 40 WEEKS	OBR	F	38	547	1.128	0.274	0.491	2.271	0.752	1.631
41 - 70 WEEKS	OWT	F	3	45	0.026	0.005	0.014	0.042	0.019	0.033
41 - 70 WEEKS	OBO	F	3	45	0.008	0.002	0.005	0.014	0.006	0.011
41 - 70 WEEKS	OBR	F	3	45	1.291	0.264	0.786	2.138	0.982	1.668
> 70 WEEKS	OWT	F	1	39	0.029	0.007	0.016	0.045	0.021	0.039
> 70 WEEKS	OBO	F	1	39	0.009	0.002	0.005	0.014	0.006	0.014
> 70 WEEKS	OBR	F	1	39	1.417	0.334	0.799	2.303	1.030	2.038

Table 8: Heart [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
< 8 WEEKS	OWT	M	1	6	0.753	0.077	0.655	0.834	0.656	0.794
< 8 WEEKS	OBO	M	1	6	0.416	0.034	0.374	0.458	0.390	0.455
< 8 WEEKS	OBR	M	1	6	41.752	2.167	38.450	43.817	39.729	43.502
8 - 12 WEEKS	OWT	M	188	1217	0.913	0.100	0.657	1.374	0.759	1.091
8 - 12 WEEKS	OBO	M	188	1217	0.325	0.033	0.240	0.556	0.279	0.381
8 - 12 WEEKS	OBR	M	187	1212	47.087	4.758	30.137	68.691	39.720	55.113
13 - 18 WEEKS	OWT	M	113	615	0.980	0.103	0.720	1.355	0.826	1.150
13 - 18 WEEKS	OBO	M	113	615	0.301	0.027	0.235	0.394	0.261	0.347
13 - 18 WEEKS	OBR	M	113	615	49.374	4.878	37.425	68.997	42.097	57.903
19 - 40 WEEKS	OWT	M	72	1082	1.125	0.135	0.802	1.891	0.941	1.354
19 - 40 WEEKS	OBO	M	72	1082	0.267	0.029	0.191	0.390	0.225	0.314
19 - 40 WEEKS	OBR	M	72	1082	53.818	6.025	39.959	95.230	45.339	63.860
41 - 70 WEEKS	OWT	M	9	137	1.289	0.132	1.034	1.749	1.100	1.486
41 - 70 WEEKS	OBO	M	9	137	0.236	0.024	0.187	0.344	0.201	0.274
41 - 70 WEEKS	OBR	M	9	137	59.450	6.085	46.108	80.463	49.650	70.476
> 70 WEEKS	OWT	M	7	257	1.509	0.240	0.933	2.366	1.136	1.914
> 70 WEEKS	OBO	M	7	257	0.232	0.036	0.142	0.468	0.188	0.289
> 70 WEEKS	OBR	M	6	224	67.276	10.382	43.238	100.529	52.585	83.766
8 - 12 WEEKS	OWT	F	175	1112	0.676	0.074	0.453	1.347	0.569	0.802
8 - 12 WEEKS	OBO	F	175	1112	0.366	0.037	0.246	0.603	0.314	0.431
8 - 12 WEEKS	OBR	F	175	1112	37.059	3.863	23.548	69.641	31.498	43.581
13 - 18 WEEKS	OWT	F	115	662	0.709	0.073	0.525	0.950	0.599	0.827
13 - 18 WEEKS	OBO	F	115	662	0.349	0.033	0.259	0.474	0.298	0.406
13 - 18 WEEKS	OBR	F	114	657	38.186	3.849	27.671	52.340	32.219	44.793
19 - 40 WEEKS	OWT	F	75	1102	0.783	0.089	0.461	1.338	0.657	0.928
19 - 40 WEEKS	OBO	F	75	1102	0.327	0.033	0.192	0.536	0.277	0.384
19 - 40 WEEKS	OBR	F	75	1102	40.697	4.451	24.149	67.960	34.186	48.423
41 - 70 WEEKS	OWT	F	9	139	0.893	0.091	0.694	1.144	0.759	1.055
41 - 70 WEEKS	OBO	F	9	139	0.311	0.034	0.224	0.400	0.259	0.370
41 - 70 WEEKS	OBR	F	9	139	45.744	9.401	37.188	142.762	39.055	53.076
> 70 WEEKS	OWT	F	7	252	1.035	0.144	0.766	1.702	0.836	1.275
> 70 WEEKS	OBO	F	7	252	0.280	0.044	0.188	0.512	0.219	0.369
> 70 WEEKS	OBR	F	6	216	50.698	6.387	38.162	76.130	42.009	61.125

Table 9: Lungs [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	25	202	1.194	0.118	0.908	1.582	1.017	1.402
8 - 12 WEEKS	OBO	M	25	202	0.450	0.041	0.350	0.638	0.390	0.518
8 - 12 WEEKS	OBR	M	24	197	62.209	5.151	51.042	82.574	54.628	70.467
13 - 18 WEEKS	OWT	M	12	73	1.290	0.119	1.080	1.547	1.122	1.497
13 - 18 WEEKS	OBO	M	12	73	0.389	0.036	0.309	0.474	0.335	0.453
13 - 18 WEEKS	OBR	M	12	73	64.676	5.182	53.627	77.465	57.143	72.625
19 - 40 WEEKS	OWT	M	10	174	1.481	0.205	1.120	3.173	1.264	1.745
19 - 40 WEEKS	OBO	M	10	174	0.347	0.048	0.268	0.775	0.296	0.403
19 - 40 WEEKS	OBR	M	10	174	70.695	9.723	56.150	165.243	62.044	80.937
41 - 70 WEEKS	OWT	M	1	5	1.618	0.116	1.499	1.750	1.535	1.734
41 - 70 WEEKS	OBO	M	1	5	0.305	0.013	0.290	0.322	0.294	0.311
41 - 70 WEEKS	OBR	M	1	5	73.347	5.156	67.918	79.144	69.224	78.325
> 70 WEEKS	OWT	M	1	42	1.781	0.311	1.363	3.464	1.504	1.998
> 70 WEEKS	OBO	M	1	42	0.320	0.084	0.220	0.782	0.260	0.395
> 70 WEEKS	OBR	M	1	42	80.016	15.508	61.264	168.212	66.783	87.674
8 - 12 WEEKS	OWT	F	18	141	0.982	0.087	0.829	1.255	0.853	1.129
8 - 12 WEEKS	OBO	F	18	141	0.531	0.043	0.428	0.710	0.470	0.612
8 - 12 WEEKS	OBR	F	18	141	53.883	4.321	43.939	66.627	47.653	61.349
13 - 18 WEEKS	OWT	F	14	118	1.031	0.077	0.847	1.280	0.908	1.157
13 - 18 WEEKS	OBO	F	14	118	0.495	0.039	0.407	0.598	0.435	0.559
13 - 18 WEEKS	OBR	F	13	113	54.998	3.960	45.357	64.380	49.612	61.409
19 - 40 WEEKS	OWT	F	12	190	1.121	0.097	0.916	1.404	0.981	1.277
19 - 40 WEEKS	OBO	F	12	190	0.462	0.038	0.326	0.568	0.404	0.526
19 - 40 WEEKS	OBR	F	12	190	58.112	4.616	46.007	71.169	51.317	65.867
41 - 70 WEEKS	OWT	F	1	5	1.255	0.080	1.163	1.354	1.186	1.309
41 - 70 WEEKS	OBO	F	1	5	0.426	0.040	0.377	0.470	0.404	0.462
41 - 70 WEEKS	OBR	F	1	5	62.057	4.203	58.984	69.266	59.899	62.217
> 70 WEEKS	OWT	F	1	39	1.286	0.090	1.013	1.430	1.156	1.427
> 70 WEEKS	OBO	F	1	39	0.406	0.064	0.275	0.637	0.324	0.473
> 70 WEEKS	OBR	F	1	39	63.336	3.750	54.877	70.484	57.897	69.531

Table 10: Liver [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
< 8 WEEKS	OWT	M	1	6	5.889	0.344	5.362	6.217	5.637	6.192
< 8 WEEKS	OBO	M	1	6	3.257	0.191	2.972	3.545	3.193	3.372
< 8 WEEKS	OBR	M	1	6	327.511	13.877	311.663	343.690	312.178	341.703
8 - 12 WEEKS	OWT	M	190	1227	8.612	1.463	5.379	15.027	6.699	11.598
8 - 12 WEEKS	OBO	M	190	1227	3.053	0.391	2.281	4.674	2.586	3.910
8 - 12 WEEKS	OBR	M	189	1222	444.145	72.740	278.642	752.559	351.079	592.725
13 - 18 WEEKS	OWT	M	113	615	9.134	1.464	6.279	17.059	7.296	11.878
13 - 18 WEEKS	OBO	M	113	615	2.798	0.322	2.130	4.426	2.412	3.524
13 - 18 WEEKS	OBR	M	113	615	459.935	70.106	325.000	874.372	373.192	587.719
19 - 40 WEEKS	OWT	M	72	1082	10.386	1.739	6.478	18.240	8.041	13.611
19 - 40 WEEKS	OBO	M	72	1082	2.446	0.267	1.581	3.457	2.092	2.945
19 - 40 WEEKS	OBR	M	72	1082	496.712	79.631	319.170	857.847	393.315	644.992
41 - 70 WEEKS	OWT	M	9	137	12.822	2.009	8.894	19.648	9.827	16.091
41 - 70 WEEKS	OBO	M	9	137	2.336	0.261	1.791	3.049	1.956	2.769
41 - 70 WEEKS	OBR	M	9	137	591.412	92.043	417.917	866.166	458.758	749.442
> 70 WEEKS	OWT	M	7	257	15.968	3.655	6.920	45.992	11.141	21.163
> 70 WEEKS	OBO	M	7	257	2.448	0.606	1.550	10.388	1.927	3.005
> 70 WEEKS	OBR	M	6	224	720.169	173.374	320.720	2233.399	497.842	950.852
8 - 12 WEEKS	OWT	F	175	1112	5.845	0.877	4.031	9.405	4.689	7.602
8 - 12 WEEKS	OBO	F	175	1112	3.157	0.366	2.221	4.683	2.681	3.863
8 - 12 WEEKS	OBR	F	175	1112	320.621	47.639	222.707	576.078	257.944	410.038
13 - 18 WEEKS	OWT	F	115	662	6.015	0.808	4.440	9.724	4.968	7.555
13 - 18 WEEKS	OBO	F	115	662	2.952	0.310	2.324	4.161	2.535	3.544
13 - 18 WEEKS	OBR	F	114	657	323.860	42.689	237.438	511.972	267.025	405.441
19 - 40 WEEKS	OWT	F	75	1101	6.580	1.036	4.413	11.780	5.108	8.503
19 - 40 WEEKS	OBO	F	75	1101	2.739	0.332	2.044	4.037	2.284	3.336
19 - 40 WEEKS	OBR	F	75	1101	342.105	52.844	235.273	576.494	268.775	443.198
41 - 70 WEEKS	OWT	F	9	139	7.201	1.125	4.942	10.584	5.659	9.315
41 - 70 WEEKS	OBO	F	9	139	2.496	0.317	1.818	3.390	2.051	3.073
41 - 70 WEEKS	OBR	F	9	139	367.496	72.335	256.485	923.600	296.092	472.550
> 70 WEEKS	OWT	F	7	252	9.799	2.749	5.174	30.887	6.662	14.574
> 70 WEEKS	OBO	F	7	252	2.603	0.525	1.795	8.014	1.968	3.388
> 70 WEEKS	OBR	F	6	216	486.875	136.154	258.433	1559.890	329.735	699.633

Table 11: Caecum empty [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
19 - 40 WEEKS	OWT	M	1	10	1.484	0.130	1.285	1.654	1.318	1.651
19 - 40 WEEKS	OBO	M	1	10	0.363	0.042	0.301	0.411	0.307	0.409
19 - 40 WEEKS	OBR	M	1	10	70.290	6.528	60.830	78.653	61.680	78.488
19 - 40 WEEKS	OWT	F	1	10	1.042	0.190	0.815	1.336	0.859	1.327
19 - 40 WEEKS	OBO	F	1	10	0.507	0.074	0.428	0.661	0.440	0.591
19 - 40 WEEKS	OBR	F	1	10	55.563	10.003	43.761	71.563	45.992	70.445

Table 12: Caecum full [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
19 - 40 WEEKS	OWT	M	1	10	4.536	1.201	2.880	5.876	2.948	5.758
19 - 40 WEEKS	OBO	M	1	10	1.111	0.314	0.704	1.559	0.738	1.449
19 - 40 WEEKS	OBR	M	1	10	215.263	59.265	134.750	284.495	139.506	284.042
19 - 40 WEEKS	OWT	F	1	10	3.393	0.957	1.681	4.601	2.480	4.437
19 - 40 WEEKS	OBO	F	1	10	1.649	0.437	0.883	2.140	1.201	2.048
19 - 40 WEEKS	OBR	F	1	10	180.916	51.105	90.310	248.099	133.221	230.282

Table 13: Mandibular Salivary Gland [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	3	20	0.437	0.047	0.344	0.518	0.392	0.507
8 - 12 WEEKS	OBO	M	3	20	0.168	0.020	0.119	0.197	0.133	0.186
8 - 12 WEEKS	OBR	M	3	20	23.079	2.410	18.265	27.464	20.354	26.450
19 - 40 WEEKS	OWT	M	2	27	0.575	0.053	0.480	0.706	0.513	0.631
19 - 40 WEEKS	OBO	M	2	27	0.122	0.014	0.096	0.163	0.107	0.141
19 - 40 WEEKS	OBR	M	2	27	27.177	2.031	22.967	31.345	24.222	29.717
8 - 12 WEEKS	OWT	F	3	20	0.330	0.041	0.280	0.433	0.286	0.391
8 - 12 WEEKS	OBO	F	3	20	0.186	0.021	0.150	0.219	0.155	0.214
8 - 12 WEEKS	OBR	F	3	20	18.430	2.326	15.833	24.205	15.953	22.156
19 - 40 WEEKS	OWT	F	2	27	0.428	0.041	0.343	0.516	0.375	0.496
19 - 40 WEEKS	OBO	F	2	27	0.168	0.014	0.137	0.197	0.153	0.190
19 - 40 WEEKS	OBR	F	2	27	22.021	2.175	17.582	26.079	19.095	25.609

Table 14: Sublingual Salivary Gland [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	3	20	0.070	0.027	0.034	0.154	0.035	0.101
8 - 12 WEEKS	OBO	M	3	20	0.026	0.009	0.015	0.053	0.015	0.035
8 - 12 WEEKS	OBR	M	3	20	3.689	1.406	1.815	8.151	1.877	5.261
19 - 40 WEEKS	OWT	M	2	27	0.084	0.010	0.056	0.110	0.079	0.095
19 - 40 WEEKS	OBO	M	2	27	0.018	0.002	0.013	0.023	0.015	0.020
19 - 40 WEEKS	OBR	M	2	27	3.962	0.461	2.586	5.023	3.349	4.449
8 - 12 WEEKS	OWT	F	3	20	0.061	0.012	0.033	0.085	0.047	0.080
8 - 12 WEEKS	OBO	F	3	20	0.034	0.006	0.021	0.044	0.026	0.040
8 - 12 WEEKS	OBR	F	3	20	3.410	0.661	1.891	4.843	2.594	4.458
19 - 40 WEEKS	OWT	F	2	27	0.067	0.008	0.048	0.082	0.054	0.079
19 - 40 WEEKS	OBO	F	2	27	0.026	0.003	0.019	0.032	0.022	0.030
19 - 40 WEEKS	OBR	F	2	27	3.437	0.449	2.440	4.426	2.734	3.933

Table 15: Parotis [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	1	10	0.503	0.067	0.424	0.613	0.433	0.593
8 - 12 WEEKS	OBO	M	1	10	0.177	0.020	0.150	0.203	0.155	0.201
8 - 12 WEEKS	OBR	M	1	10	26.327	3.164	23.068	32.517	23.403	29.333
19 - 40 WEEKS	OWT	M	2	27	0.332	0.152	0.185	0.772	0.195	0.564
19 - 40 WEEKS	OBO	M	2	27	0.070	0.030	0.031	0.138	0.041	0.122
19 - 40 WEEKS	OBR	M	2	27	15.681	7.009	8.779	35.254	8.953	26.382
8 - 12 WEEKS	OWT	F	1	10	0.482	0.078	0.357	0.614	0.407	0.567
8 - 12 WEEKS	OBO	F	1	10	0.249	0.045	0.181	0.338	0.208	0.285
8 - 12 WEEKS	OBR	F	1	10	26.683	4.617	19.965	34.915	21.652	32.369
19 - 40 WEEKS	OWT	F	2	27	0.316	0.109	0.182	0.608	0.197	0.505
19 - 40 WEEKS	OBO	F	2	27	0.124	0.045	0.067	0.246	0.073	0.193
19 - 40 WEEKS	OBR	F	2	27	16.253	5.683	9.022	30.579	10.201	25.390

Table 16: Salivary Gland [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OBO	M	3	18	0.195	0.017	0.163	0.227	0.172	0.219
8 - 12 WEEKS	OBR	M	3	18	25.111	2.586	20.654	30.495	22.476	28.419
13 - 18 WEEKS	OWT	M	1	5	0.510	0.028	0.474	0.549	0.493	0.520
13 - 18 WEEKS	OBO	M	1	5	0.176	0.022	0.152	0.200	0.156	0.195
13 - 18 WEEKS	OBR	M	1	5	26.654	2.668	22.926	30.397	26.168	27.222
8 - 12 WEEKS	OWT	F	3	18	0.371	0.063	0.276	0.513	0.289	0.462
8 - 12 WEEKS	OBO	F	3	18	0.217	0.034	0.175	0.293	0.181	0.283
8 - 12 WEEKS	OBR	F	3	18	20.893	2.981	16.527	28.441	16.966	24.631
13 - 18 WEEKS	OWT	F	1	5	0.419	0.030	0.375	0.458	0.415	0.424
13 - 18 WEEKS	OBO	F	1	5	0.207	0.019	0.177	0.227	0.205	0.219
13 - 18 WEEKS	OBR	F	1	5	21.709	1.669	19.258	23.391	20.788	22.666

Table 17: Kidney (L) [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	3	20	0.940	0.084	0.819	1.131	0.824	1.086
8 - 12 WEEKS	OBO	M	3	20	0.344	0.049	0.275	0.420	0.277	0.413
8 - 12 WEEKS	OBR	M	3	20	49.391	3.324	44.002	54.975	44.445	53.796
13 - 18 WEEKS	OWT	M	1	5	1.062	0.045	1.010	1.122	1.029	1.084
13 - 18 WEEKS	OBO	M	1	5	0.301	0.026	0.273	0.339	0.278	0.310
13 - 18 WEEKS	OBR	M	1	5	53.595	2.716	50.800	56.869	50.882	55.456
8 - 12 WEEKS	OWT	F	1	10	0.671	0.070	0.546	0.774	0.605	0.724
8 - 12 WEEKS	OBO	F	1	10	0.333	0.036	0.287	0.391	0.297	0.383
8 - 12 WEEKS	OBR	F	1	10	37.139	4.373	30.672	44.145	30.889	40.825
13 - 18 WEEKS	OWT	F	1	5	0.703	0.054	0.640	0.748	0.649	0.746
13 - 18 WEEKS	OBO	F	1	5	0.333	0.030	0.305	0.378	0.310	0.349
13 - 18 WEEKS	OBR	F	1	5	36.760	2.707	33.958	40.670	34.461	37.655

Table 18: Kidney (R) [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	3	20	0.937	0.084	0.809	1.095	0.815	1.071
8 - 12 WEEKS	OBO	M	3	20	0.343	0.047	0.274	0.445	0.290	0.396
8 - 12 WEEKS	OBR	M	3	20	49.215	2.740	43.449	53.815	45.640	53.629
13 - 18 WEEKS	OWT	M	1	5	1.084	0.091	0.956	1.186	1.051	1.157
13 - 18 WEEKS	OBO	M	1	5	0.307	0.032	0.259	0.345	0.297	0.317
13 - 18 WEEKS	OBR	M	1	5	54.725	5.617	48.110	63.255	51.934	56.031
8 - 12 WEEKS	OWT	F	1	10	0.677	0.065	0.555	0.744	0.606	0.737
8 - 12 WEEKS	OBO	F	1	10	0.336	0.036	0.291	0.404	0.301	0.365
8 - 12 WEEKS	OBR	F	1	10	37.457	3.988	31.400	42.418	31.644	42.030
13 - 18 WEEKS	OWT	F	1	5	0.723	0.053	0.662	0.795	0.680	0.749
13 - 18 WEEKS	OBO	F	1	5	0.343	0.041	0.310	0.410	0.311	0.344
13 - 18 WEEKS	OBR	F	1	5	37.754	2.481	34.609	40.819	36.604	39.647

Table 19: Kidneys [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
< 8 WEEKS	OWT	M	1	6	1.513	0.119	1.381	1.683	1.425	1.609
< 8 WEEKS	OBO	M	1	6	0.835	0.043	0.784	0.885	0.799	0.878
< 8 WEEKS	OBR	M	1	6	84.175	6.261	74.004	93.057	82.171	87.008
8 - 12 WEEKS	OWT	M	187	1207	1.899	0.207	1.275	2.666	1.576	2.262
8 - 12 WEEKS	OBO	M	187	1207	0.676	0.065	0.494	0.944	0.575	0.792
8 - 12 WEEKS	OBR	M	186	1202	97.862	9.621	69.570	135.318	83.124	114.398
13 - 18 WEEKS	OWT	M	112	610	2.011	0.228	1.472	3.513	1.690	2.377
13 - 18 WEEKS	OBO	M	112	610	0.618	0.055	0.476	0.993	0.533	0.709
13 - 18 WEEKS	OBR	M	112	610	101.228	10.301	79.012	174.343	86.960	116.985
19 - 40 WEEKS	OWT	M	72	1082	2.223	0.265	1.610	3.330	1.836	2.691
19 - 40 WEEKS	OBO	M	72	1082	0.527	0.054	0.361	0.809	0.446	0.615
19 - 40 WEEKS	OBR	M	72	1082	106.283	11.372	81.987	167.343	89.302	125.581
41 - 70 WEEKS	OWT	M	9	137	2.443	0.270	1.833	3.302	2.081	2.920
41 - 70 WEEKS	OBO	M	9	137	0.447	0.046	0.346	0.577	0.373	0.533
41 - 70 WEEKS	OBR	M	9	137	112.664	12.004	90.051	151.953	96.261	132.949
> 70 WEEKS	OWT	M	6	224	3.121	0.774	1.722	9.930	2.367	4.296
> 70 WEEKS	OBO	M	6	224	0.484	0.122	0.277	1.618	0.377	0.652
> 70 WEEKS	OBR	M	6	224	139.781	32.511	82.070	408.243	107.025	191.229
8 - 12 WEEKS	OWT	F	174	1102	1.324	0.239	0.916	8.114	1.132	1.530
8 - 12 WEEKS	OBO	F	174	1102	0.718	0.119	0.514	4.040	0.619	0.821
8 - 12 WEEKS	OBR	F	174	1102	72.627	14.307	53.037	497.026	62.663	83.491
13 - 18 WEEKS	OWT	F	114	657	1.369	0.127	1.064	1.853	1.181	1.597
13 - 18 WEEKS	OBO	F	114	657	0.674	0.058	0.515	0.886	0.578	0.775
13 - 18 WEEKS	OBR	F	113	652	73.648	6.275	57.434	100.731	63.927	84.418
19 - 40 WEEKS	OWT	F	75	1101	1.469	0.166	1.007	2.503	1.232	1.746
19 - 40 WEEKS	OBO	F	75	1101	0.614	0.060	0.456	0.937	0.526	0.716
19 - 40 WEEKS	OBR	F	75	1101	76.341	8.015	53.220	130.487	64.693	89.507
41 - 70 WEEKS	OWT	F	9	139	1.627	0.179	1.273	2.199	1.352	1.944
41 - 70 WEEKS	OBO	F	9	139	0.567	0.067	0.417	0.789	0.466	0.682
41 - 70 WEEKS	OBR	F	9	139	83.094	14.309	63.931	216.289	69.011	100.470
> 70 WEEKS	OWT	F	6	216	2.014	0.264	1.482	2.863	1.636	2.484
> 70 WEEKS	OBO	F	6	216	0.543	0.099	0.372	0.987	0.413	0.754
> 70 WEEKS	OBR	F	6	216	99.334	12.423	78.117	141.157	81.921	122.482

Table 20: Urinary Bladder [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	1	10	0.079	0.025	0.048	0.125	0.050	0.105
8 - 12 WEEKS	OBO	M	1	10	0.027	0.006	0.018	0.038	0.019	0.034
8 - 12 WEEKS	OBR	M	1	10	4.042	1.238	2.478	6.404	2.595	5.383
13 - 18 WEEKS	OWT	M	2	20	0.082	0.025	0.035	0.139	0.057	0.115
13 - 18 WEEKS	OBO	M	2	20	0.027	0.008	0.012	0.051	0.020	0.037
13 - 18 WEEKS	OBR	M	2	20	4.186	1.146	1.754	6.586	3.000	5.603
19 - 40 WEEKS	OWT	M	1	10	0.083	0.017	0.061	0.117	0.067	0.105
19 - 40 WEEKS	OBO	M	1	10	0.019	0.004	0.013	0.025	0.014	0.022
19 - 40 WEEKS	OBR	M	1	10	4.034	0.876	2.765	5.507	3.373	5.418
8 - 12 WEEKS	OWT	F	1	10	0.069	0.020	0.040	0.115	0.050	0.082
8 - 12 WEEKS	OBO	F	1	10	0.037	0.010	0.021	0.057	0.024	0.049
8 - 12 WEEKS	OBR	F	1	10	3.857	1.082	2.227	6.440	3.077	4.528
13 - 18 WEEKS	OWT	F	2	20	0.072	0.023	0.048	0.146	0.050	0.109
13 - 18 WEEKS	OBO	F	2	20	0.037	0.012	0.024	0.074	0.025	0.053
13 - 18 WEEKS	OBR	F	2	20	3.918	1.203	2.652	7.796	2.747	5.784
19 - 40 WEEKS	OWT	F	1	10	0.070	0.015	0.048	0.095	0.053	0.084
19 - 40 WEEKS	OBO	F	1	10	0.029	0.006	0.019	0.037	0.022	0.036
19 - 40 WEEKS	OBR	F	1	10	3.637	0.829	2.503	5.265	2.812	4.335

Table 21: Testis (L) [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	1	10	1.746	0.133	1.502	1.987	1.619	1.870
8 - 12 WEEKS	OBO	M	1	10	0.541	0.037	0.485	0.600	0.503	0.581
8 - 12 WEEKS	OBR	M	1	10	88.225	3.704	81.690	93.877	84.478	92.526
13 - 18 WEEKS	OWT	M	1	5	1.887	0.167	1.607	2.003	1.859	2.001
13 - 18 WEEKS	OBO	M	1	5	0.534	0.042	0.477	0.582	0.505	0.561
13 - 18 WEEKS	OBR	M	1	5	95.200	8.698	84.299	106.748	91.868	100.768

Table 22: Testis @ [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	1	10	1.749	0.163	1.485	2.000	1.600	1.975
8 - 12 WEEKS	OBO	M	1	10	0.542	0.045	0.479	0.613	0.506	0.610
8 - 12 WEEKS	OBR	M	1	10	88.306	4.669	80.760	95.223	83.962	94.496
13 - 18 WEEKS	OWT	M	1	5	1.860	0.134	1.654	1.999	1.835	1.956
13 - 18 WEEKS	OBO	M	1	5	0.526	0.040	0.476	0.569	0.491	0.554
13 - 18 WEEKS	OBR	M	1	5	93.875	8.113	86.741	104.365	87.010	100.583

Table 23: Testes [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
< 8 WEEKS	OWT	M	1	6	2.367	0.185	2.131	2.628	2.247	2.508
< 8 WEEKS	OBO	M	1	6	1.307	0.062	1.220	1.404	1.280	1.338
< 8 WEEKS	OBR	M	1	6	131.582	7.461	117.615	138.631	129.999	136.367
8 - 12 WEEKS	OWT	M	187	1206	3.308	0.327	0.805	4.437	2.799	3.792
8 - 12 WEEKS	OBO	M	187	1206	1.181	0.125	0.304	1.657	1.012	1.373
8 - 12 WEEKS	OBR	M	186	1201	170.632	15.612	41.014	219.888	146.560	193.289
13 - 18 WEEKS	OWT	M	111	605	3.512	0.273	1.893	4.926	3.106	3.944
13 - 18 WEEKS	OBO	M	111	605	1.085	0.112	0.532	1.551	0.922	1.271
13 - 18 WEEKS	OBR	M	111	605	177.012	13.554	103.949	238.435	155.263	198.535
19 - 40 WEEKS	OWT	M	70	1061	3.819	0.396	0.854	5.366	3.246	4.409
19 - 40 WEEKS	OBO	M	70	1061	0.908	0.115	0.194	1.376	0.735	1.086
19 - 40 WEEKS	OBR	M	70	1061	182.654	18.000	40.828	239.061	156.791	208.331
41 - 70 WEEKS	OWT	M	9	137	4.057	0.426	2.795	5.563	3.481	4.704
41 - 70 WEEKS	OBO	M	9	137	0.745	0.096	0.508	0.990	0.604	0.895
41 - 70 WEEKS	OBR	M	9	137	187.102	19.158	127.492	244.140	160.393	217.631
> 70 WEEKS	OWT	M	6	224	4.123	0.715	1.391	8.566	3.305	5.011
> 70 WEEKS	OBO	M	6	224	0.643	0.140	0.207	1.631	0.453	0.833
> 70 WEEKS	OBR	M	6	224	185.041	32.047	61.603	389.253	146.111	225.975

Table 24: Epididymides (L) [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	1	10	0.517	0.035	0.460	0.564	0.464	0.552
8 - 12 WEEKS	OBO	M	1	10	0.160	0.011	0.141	0.173	0.147	0.173
8 - 12 WEEKS	OBR	M	1	10	26.163	1.435	24.210	28.883	25.002	27.701
13 - 18 WEEKS	OWT	M	1	5	0.599	0.047	0.522	0.644	0.591	0.622
13 - 18 WEEKS	OBO	M	1	5	0.169	0.010	0.155	0.181	0.165	0.178
13 - 18 WEEKS	OBR	M	1	5	30.197	2.149	27.359	33.160	29.212	31.020

Table 25: Epididymides (R) [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	1	10	0.514	0.047	0.449	0.578	0.470	0.578
8 - 12 WEEKS	OBO	M	1	10	0.159	0.016	0.136	0.188	0.143	0.177
8 - 12 WEEKS	OBR	M	1	10	25.980	1.967	23.411	29.188	23.435	28.397
13 - 18 WEEKS	OWT	M	1	5	0.580	0.035	0.526	0.616	0.576	0.606
13 - 18 WEEKS	OBO	M	1	5	0.164	0.013	0.148	0.179	0.156	0.174
13 - 18 WEEKS	OBR	M	1	5	29.310	2.380	27.039	32.856	27.609	30.506

Table 26: Epididymides [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	166	1064	0.946	0.157	0.381	3.324	0.652	1.143
8 - 12 WEEKS	OBO	M	166	1064	0.331	0.053	0.146	1.339	0.264	0.398
8 - 12 WEEKS	OBR	M	166	1064	48.624	7.756	20.780	169.074	35.188	58.157
13 - 18 WEEKS	OWT	M	105	567	1.153	0.131	0.652	2.259	0.957	1.355
13 - 18 WEEKS	OBO	M	105	567	0.355	0.043	0.183	0.711	0.296	0.422
13 - 18 WEEKS	OBR	M	105	567	58.118	6.442	35.796	109.342	48.542	68.171
19 - 40 WEEKS	OWT	M	56	846	1.424	0.161	0.746	1.999	1.187	1.694
19 - 40 WEEKS	OBO	M	56	846	0.338	0.045	0.156	0.492	0.269	0.414
19 - 40 WEEKS	OBR	M	56	846	68.001	7.235	34.232	92.872	57.041	79.596
41 - 70 WEEKS	OWT	M	7	113	1.469	0.159	1.127	2.019	1.238	1.697
41 - 70 WEEKS	OBO	M	7	113	0.270	0.041	0.180	0.386	0.205	0.342
41 - 70 WEEKS	OBR	M	7	113	67.902	7.176	51.386	87.609	56.398	79.464
> 70 WEEKS	OWT	M	4	147	1.370	0.172	0.608	1.807	1.144	1.613
> 70 WEEKS	OBO	M	4	147	0.207	0.034	0.108	0.314	0.159	0.266
> 70 WEEKS	OBR	M	4	147	61.628	7.850	26.855	80.009	51.406	73.934

Table 27: Prostate [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	11	97	0.550	0.134	0.171	0.933	0.375	0.738
8 - 12 WEEKS	OBO	M	11	97	0.199	0.044	0.084	0.329	0.144	0.271
8 - 12 WEEKS	OBR	M	11	97	28.532	6.852	9.292	48.515	19.383	39.058
13 - 18 WEEKS	OWT	M	6	30	0.691	0.111	0.524	0.886	0.550	0.863
13 - 18 WEEKS	OBO	M	6	30	0.205	0.044	0.153	0.323	0.161	0.283
13 - 18 WEEKS	OBR	M	6	30	34.770	5.708	27.587	45.598	28.404	43.308
19 - 40 WEEKS	OWT	M	5	74	0.938	0.178	0.615	1.454	0.688	1.302
19 - 40 WEEKS	OBO	M	5	74	0.213	0.033	0.147	0.298	0.164	0.267
19 - 40 WEEKS	OBR	M	5	74	44.692	8.569	27.648	67.976	33.098	61.531
41 - 70 WEEKS	OWT	M	2	39	1.000	0.202	0.643	1.458	0.716	1.295
41 - 70 WEEKS	OBO	M	2	39	0.178	0.043	0.099	0.286	0.117	0.248
41 - 70 WEEKS	OBR	M	2	39	46.300	9.495	27.594	65.377	32.238	63.099

Table 28: Seminal Vesicle [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	4	28	0.739	0.259	0.281	1.339	0.388	1.098
8 - 12 WEEKS	OBO	M	4	28	0.280	0.094	0.131	0.533	0.152	0.387
8 - 12 WEEKS	OBR	M	4	28	38.761	13.936	14.561	73.446	20.436	57.141
13 - 18 WEEKS	OWT	M	2	10	1.076	0.212	0.737	1.438	0.789	1.310
13 - 18 WEEKS	OBO	M	2	10	0.350	0.079	0.220	0.454	0.224	0.413
13 - 18 WEEKS	OBR	M	2	10	55.750	10.879	40.087	77.495	40.104	63.431

Table 29: Seminal Vesicles with Prostate Glands [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
19 - 40 WEEKS	OWT	M	1	10	2.282	0.377	1.473	2.761	2.019	2.635
19 - 40 WEEKS	OBO	M	1	10	0.523	0.047	0.396	0.558	0.506	0.553
19 - 40 WEEKS	OBR	M	1	10	111.339	18.581	74.284	139.792	92.789	130.269

Table 30: Ovaries (L) [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	F	1	10	0.046	0.008	0.031	0.055	0.037	0.053
8 - 12 WEEKS	OBO	F	1	10	0.023	0.004	0.016	0.030	0.018	0.026
8 - 12 WEEKS	OBR	F	1	10	2.552	0.415	1.756	3.000	2.044	2.958
13 - 18 WEEKS	OWT	F	1	5	0.100	0.101	0.045	0.279	0.052	0.068
13 - 18 WEEKS	OBO	F	1	5	0.049	0.053	0.021	0.144	0.026	0.028
13 - 18 WEEKS	OBR	F	1	5	5.167	5.141	2.443	14.344	2.782	3.381

Table 31: Ovaries @ [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	F	1	10	0.046	0.007	0.037	0.055	0.039	0.054
8 - 12 WEEKS	OBO	F	1	10	0.023	0.004	0.016	0.029	0.020	0.028
8 - 12 WEEKS	OBR	F	1	10	2.554	0.363	2.084	3.102	2.220	2.922
13 - 18 WEEKS	OWT	F	1	5	0.058	0.011	0.046	0.073	0.052	0.064
13 - 18 WEEKS	OBO	F	1	5	0.027	0.004	0.022	0.033	0.025	0.030
13 - 18 WEEKS	OBR	F	1	5	2.997	0.459	2.423	3.623	2.813	3.262

Table 32: Ovaries [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	F	172	1091	0.098	0.020	0.048	0.271	0.071	0.129
8 - 12 WEEKS	OBO	F	172	1091	0.053	0.010	0.028	0.146	0.040	0.069
8 - 12 WEEKS	OBR	F	172	1091	5.391	1.074	2.666	14.397	3.939	7.105
13 - 18 WEEKS	OWT	F	112	647	0.104	0.019	0.053	0.252	0.076	0.134
13 - 18 WEEKS	OBO	F	112	647	0.051	0.010	0.028	0.125	0.038	0.067
13 - 18 WEEKS	OBR	F	112	647	5.604	1.027	2.730	13.802	4.110	7.224
19 - 40 WEEKS	OWT	F	72	1046	0.107	0.041	0.047	0.828	0.069	0.144
19 - 40 WEEKS	OBO	F	72	1046	0.045	0.017	0.018	0.344	0.029	0.060
19 - 40 WEEKS	OBR	F	72	1046	5.568	2.106	2.410	44.094	3.688	7.503
41 - 70 WEEKS	OWT	F	8	119	0.100	0.065	0.040	0.751	0.052	0.143
41 - 70 WEEKS	OBO	F	8	119	0.035	0.024	0.014	0.271	0.018	0.052
41 - 70 WEEKS	OBR	F	8	119	5.157	3.514	2.044	37.462	2.701	7.263
> 70 WEEKS	OWT	F	5	181	0.293	1.645	0.027	20.881	0.047	0.423
> 70 WEEKS	OBO	F	5	181	0.075	0.375	0.008	4.601	0.013	0.120
> 70 WEEKS	OBR	F	5	181	14.540	82.959	1.357	1061.833	2.365	21.651

Table 33: Uterus [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	F	13	89	0.744	0.234	0.393	1.611	0.495	1.161
8 - 12 WEEKS	OBO	F	13	89	0.409	0.119	0.236	0.757	0.261	0.629
8 - 12 WEEKS	OBR	F	13	89	41.125	12.470	23.478	88.446	27.301	64.520
13 - 18 WEEKS	OWT	F	5	42	0.872	0.225	0.513	1.416	0.617	1.183
13 - 18 WEEKS	OBO	F	5	42	0.422	0.112	0.234	0.708	0.277	0.610
13 - 18 WEEKS	OBR	F	5	42	46.377	11.745	28.361	75.429	31.801	62.014
19 - 40 WEEKS	OWT	F	43	618	1.009	0.363	0.089	5.542	0.639	1.566
19 - 40 WEEKS	OBO	F	43	618	0.426	0.150	0.037	2.183	0.271	0.677
19 - 40 WEEKS	OBR	F	43	618	52.429	18.292	4.756	272.334	33.341	81.940
41 - 70 WEEKS	OWT	F	5	94	1.246	0.306	0.780	2.425	0.869	1.889
41 - 70 WEEKS	OBO	F	5	94	0.430	0.118	0.239	0.905	0.272	0.624
41 - 70 WEEKS	OBR	F	5	94	64.050	19.766	39.958	184.299	43.675	98.475
> 70 WEEKS	OWT	F	4	147	2.247	10.373	0.641	126.924	0.856	2.681
> 70 WEEKS	OBO	F	4	147	0.563	2.011	0.118	24.585	0.222	0.803
> 70 WEEKS	OBR	F	4	147	110.716	510.819	33.380	6250.351	41.783	134.684

Table 34: Mesenterial Lymph Nodes [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	10	82	0.023	0.013	0.005	0.069	0.007	0.044
8 - 12 WEEKS	OBO	M	10	82	0.008	0.005	0.002	0.024	0.003	0.016
8 - 12 WEEKS	OBR	M	10	82	1.166	0.657	0.254	3.256	0.349	2.270
13 - 18 WEEKS	OWT	M	5	25	0.022	0.014	0.006	0.063	0.010	0.033
13 - 18 WEEKS	OBO	M	5	25	0.006	0.004	0.002	0.019	0.003	0.010
13 - 18 WEEKS	OBR	M	5	25	1.081	0.706	0.285	3.112	0.510	1.633
19 - 40 WEEKS	OWT	M	1	19	0.031	0.016	0.014	0.076	0.015	0.064
19 - 40 WEEKS	OBO	M	1	19	0.008	0.004	0.003	0.018	0.003	0.015
19 - 40 WEEKS	OBR	M	1	19	1.506	0.774	0.673	3.471	0.687	3.119
8 - 12 WEEKS	OWT	F	10	83	0.024	0.015	0.005	0.106	0.008	0.046
8 - 12 WEEKS	OBO	F	10	83	0.013	0.009	0.003	0.062	0.004	0.025
8 - 12 WEEKS	OBR	F	10	83	1.322	0.830	0.287	5.796	0.422	2.487
13 - 18 WEEKS	OWT	F	5	25	0.022	0.013	0.006	0.063	0.008	0.039
13 - 18 WEEKS	OBO	F	5	25	0.010	0.006	0.003	0.029	0.003	0.018
13 - 18 WEEKS	OBR	F	5	25	1.139	0.702	0.315	3.285	0.398	2.115
19 - 40 WEEKS	OWT	F	1	20	0.027	0.011	0.014	0.055	0.018	0.047
19 - 40 WEEKS	OBO	F	1	20	0.011	0.005	0.006	0.023	0.007	0.020
19 - 40 WEEKS	OBR	F	1	20	1.386	0.593	0.772	2.943	0.870	2.321

Table 35: Mandibular Lymph Nodes [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	11	106	0.017	0.011	0.004	0.088	0.006	0.033
8 - 12 WEEKS	OBO	M	11	106	0.006	0.004	0.001	0.026	0.002	0.011
8 - 12 WEEKS	OBR	M	11	106	0.871	0.564	0.218	4.190	0.334	1.742
13 - 18 WEEKS	OWT	M	9	53	0.017	0.006	0.007	0.040	0.008	0.024
13 - 18 WEEKS	OBO	M	9	53	0.005	0.002	0.002	0.012	0.002	0.007
13 - 18 WEEKS	OBR	M	9	53	0.827	0.304	0.329	1.878	0.368	1.246
19 - 40 WEEKS	OWT	M	3	42	0.015	0.006	0.003	0.026	0.008	0.025
19 - 40 WEEKS	OBO	M	3	42	0.004	0.001	0.001	0.006	0.002	0.005
19 - 40 WEEKS	OBR	M	3	42	0.704	0.270	0.155	1.239	0.401	1.179
8 - 12 WEEKS	OWT	F	8	75	0.016	0.007	0.003	0.036	0.007	0.029
8 - 12 WEEKS	OBO	F	8	75	0.009	0.004	0.002	0.018	0.004	0.016
8 - 12 WEEKS	OBR	F	8	75	0.887	0.401	0.174	1.963	0.375	1.684
13 - 18 WEEKS	OWT	F	9	79	0.015	0.007	0.005	0.032	0.006	0.028
13 - 18 WEEKS	OBO	F	9	79	0.007	0.003	0.002	0.017	0.003	0.012
13 - 18 WEEKS	OBR	F	9	79	0.796	0.349	0.268	1.747	0.325	1.418
19 - 40 WEEKS	OWT	F	4	49	0.014	0.007	0.003	0.032	0.006	0.027
19 - 40 WEEKS	OBO	F	4	49	0.006	0.003	0.001	0.015	0.003	0.012
19 - 40 WEEKS	OBR	F	4	49	0.719	0.369	0.167	1.637	0.314	1.356

Table 36: Mediastinal Lymph Nodes [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	3	32	0.004	0.002	0.002	0.007	0.002	0.007
8 - 12 WEEKS	OBO	M	3	32	0.001	0.001	0.001	0.003	0.001	0.002
8 - 12 WEEKS	OBR	M	3	32	0.192	0.080	0.091	0.375	0.095	0.351
13 - 18 WEEKS	OWT	M	4	28	0.005	0.003	0.002	0.013	0.003	0.008
13 - 18 WEEKS	OBO	M	4	28	0.002	0.001	0.000	0.003	0.001	0.003
13 - 18 WEEKS	OBR	M	4	28	0.247	0.128	0.083	0.652	0.119	0.414
19 - 40 WEEKS	OWT	M	2	23	0.005	0.002	0.002	0.010	0.003	0.008
19 - 40 WEEKS	OBO	M	2	23	0.001	0.001	0.000	0.003	0.001	0.002
19 - 40 WEEKS	OBR	M	2	23	0.247	0.100	0.093	0.475	0.165	0.391
13 - 18 WEEKS	OWT	F	4	54	0.004	0.002	0.001	0.011	0.002	0.008
13 - 18 WEEKS	OBO	F	4	54	0.002	0.001	0.000	0.005	0.001	0.004
13 - 18 WEEKS	OBR	F	4	54	0.239	0.100	0.053	0.572	0.127	0.420
19 - 40 WEEKS	OWT	F	3	29	0.004	0.002	0.002	0.010	0.002	0.006
19 - 40 WEEKS	OBO	F	3	29	0.002	0.001	0.001	0.004	0.001	0.003
19 - 40 WEEKS	OBR	F	3	29	0.204	0.103	0.089	0.525	0.097	0.320

Table 37: Popliteal Lymph Nodes [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	7	63	0.008	0.004	0.003	0.022	0.005	0.015
8 - 12 WEEKS	OBO	M	7	63	0.003	0.002	0.001	0.011	0.001	0.006
8 - 12 WEEKS	OBR	M	7	63	0.426	0.199	0.152	1.169	0.224	0.801
13 - 18 WEEKS	OWT	M	4	20	0.008	0.003	0.005	0.015	0.006	0.013
13 - 18 WEEKS	OBO	M	4	20	0.002	0.001	0.001	0.004	0.001	0.004
13 - 18 WEEKS	OBR	M	4	20	0.413	0.127	0.225	0.702	0.282	0.649
19 - 40 WEEKS	OWT	M	1	19	0.011	0.004	0.006	0.024	0.007	0.015
19 - 40 WEEKS	OBO	M	1	19	0.003	0.001	0.002	0.006	0.002	0.003
19 - 40 WEEKS	OBR	M	1	19	0.521	0.198	0.316	1.162	0.319	0.726
8 - 12 WEEKS	OWT	F	7	65	0.008	0.003	0.003	0.022	0.004	0.013
8 - 12 WEEKS	OBO	F	7	65	0.004	0.002	0.002	0.013	0.002	0.007
8 - 12 WEEKS	OBR	F	7	65	0.421	0.181	0.179	1.188	0.206	0.724
13 - 18 WEEKS	OWT	F	4	20	0.007	0.002	0.003	0.010	0.003	0.010
13 - 18 WEEKS	OBO	F	4	20	0.003	0.001	0.001	0.005	0.001	0.005
13 - 18 WEEKS	OBR	F	4	20	0.363	0.117	0.162	0.554	0.189	0.545
19 - 40 WEEKS	OWT	F	1	20	0.007	0.002	0.004	0.012	0.005	0.011
19 - 40 WEEKS	OBO	F	1	20	0.003	0.001	0.002	0.005	0.002	0.004
19 - 40 WEEKS	OBR	F	1	20	0.390	0.121	0.187	0.580	0.245	0.577

Table 38: Thymus [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	182	1188	0.481	0.109	0.104	0.991	0.317	0.673
8 - 12 WEEKS	OBO	M	182	1188	0.171	0.040	0.044	0.402	0.114	0.245
8 - 12 WEEKS	OBR	M	182	1188	24.767	5.441	5.343	48.791	16.364	34.071
13 - 18 WEEKS	OWT	M	112	610	0.416	0.089	0.160	0.786	0.288	0.580
13 - 18 WEEKS	OBO	M	112	610	0.128	0.028	0.059	0.248	0.086	0.178
13 - 18 WEEKS	OBR	M	112	610	20.923	4.400	8.172	39.124	14.477	28.924
19 - 40 WEEKS	OWT	M	70	1037	0.294	0.083	0.069	0.624	0.172	0.442
19 - 40 WEEKS	OBO	M	70	1037	0.070	0.021	0.017	0.142	0.037	0.104
19 - 40 WEEKS	OBR	M	70	1037	14.050	3.972	3.389	29.028	7.960	21.024
41 - 70 WEEKS	OWT	M	5	63	0.150	0.048	0.038	0.278	0.091	0.228
41 - 70 WEEKS	OBO	M	5	63	0.028	0.010	0.008	0.058	0.016	0.042
41 - 70 WEEKS	OBR	M	5	63	6.848	2.132	1.767	12.579	4.060	10.461
> 70 WEEKS	OWT	M	2	77	0.125	0.327	0.027	2.883	0.039	0.158
> 70 WEEKS	OBO	M	2	77	0.019	0.040	0.004	0.350	0.007	0.025
> 70 WEEKS	OBR	M	2	77	5.580	14.235	1.160	124.938	1.796	7.390
8 - 12 WEEKS	OWT	F	172	1099	0.405	0.075	0.201	0.691	0.292	0.526
8 - 12 WEEKS	OBO	F	172	1099	0.219	0.041	0.105	0.441	0.158	0.292
8 - 12 WEEKS	OBR	F	172	1099	22.216	4.009	11.399	37.453	16.051	29.071
13 - 18 WEEKS	OWT	F	113	652	0.372	0.072	0.195	0.717	0.262	0.491
13 - 18 WEEKS	OBO	F	113	652	0.183	0.035	0.077	0.314	0.129	0.240
13 - 18 WEEKS	OBR	F	113	652	19.990	3.776	10.348	36.076	14.226	26.566
19 - 40 WEEKS	OWT	F	73	1052	0.258	0.064	0.107	0.650	0.165	0.365
19 - 40 WEEKS	OBO	F	73	1052	0.108	0.028	0.038	0.280	0.066	0.155
19 - 40 WEEKS	OBR	F	73	1052	13.404	3.355	5.580	34.387	8.466	18.932
41 - 70 WEEKS	OWT	F	5	65	0.142	0.048	0.048	0.274	0.077	0.207
41 - 70 WEEKS	OBO	F	5	65	0.049	0.017	0.016	0.085	0.024	0.074
41 - 70 WEEKS	OBR	F	5	65	7.202	2.444	2.452	13.242	3.753	10.954
> 70 WEEKS	OWT	F	2	73	0.303	1.423	0.021	11.740	0.045	0.246
> 70 WEEKS	OBO	F	2	73	0.082	0.366	0.009	2.973	0.013	0.059
> 70 WEEKS	OBR	F	2	73	15.098	70.424	1.153	576.869	2.324	11.824

Table 39: Spleen [g, %]

ANIMAL AGE	DOMAIN	SEX	Number Studies	Number Animals	MEAN	STD	MIN	MAX	PERC 05	PERC 95
8 - 12 WEEKS	OWT	M	186	1206	0.646	0.127	0.337	2.403	0.489	0.838
8 - 12 WEEKS	OBO	M	186	1206	0.230	0.046	0.138	0.931	0.177	0.289
8 - 12 WEEKS	OBR	M	185	1201	33.337	6.532	15.754	128.652	25.414	43.079
13 - 18 WEEKS	OWT	M	112	610	0.678	0.098	0.322	1.099	0.540	0.847
13 - 18 WEEKS	OBO	M	112	610	0.208	0.027	0.104	0.321	0.170	0.253
13 - 18 WEEKS	OBR	M	112	610	34.168	4.727	16.600	54.660	27.121	42.255
19 - 40 WEEKS	OWT	M	71	1067	0.763	0.132	0.379	1.440	0.576	1.008
19 - 40 WEEKS	OBO	M	71	1067	0.180	0.028	0.098	0.325	0.141	0.227
19 - 40 WEEKS	OBR	M	71	1067	36.476	5.957	18.893	64.371	28.018	47.244
41 - 70 WEEKS	OWT	M	9	137	0.977	0.194	0.472	1.867	0.732	1.285
41 - 70 WEEKS	OBO	M	9	137	0.178	0.032	0.091	0.304	0.134	0.228
41 - 70 WEEKS	OBR	M	9	137	45.030	8.938	21.768	90.074	34.183	60.312
> 70 WEEKS	OWT	M	6	224	1.612	0.538	0.591	5.422	1.023	2.357
> 70 WEEKS	OBO	M	6	224	0.247	0.075	0.129	0.898	0.161	0.334
> 70 WEEKS	OBR	M	6	224	72.220	23.641	28.150	243.087	45.740	105.136
8 - 12 WEEKS	OWT	F	175	1112	0.487	0.085	0.272	0.784	0.365	0.640
8 - 12 WEEKS	OBO	F	175	1112	0.263	0.040	0.149	0.436	0.204	0.336
8 - 12 WEEKS	OBR	F	175	1112	26.692	4.529	15.402	45.767	20.273	34.982
13 - 18 WEEKS	OWT	F	114	657	0.511	0.084	0.297	0.914	0.403	0.653
13 - 18 WEEKS	OBO	F	114	657	0.251	0.037	0.154	0.418	0.198	0.317
13 - 18 WEEKS	OBR	F	113	652	27.493	4.392	15.346	49.390	21.588	34.735
19 - 40 WEEKS	OWT	F	74	1082	0.567	0.102	0.326	1.114	0.418	0.753
19 - 40 WEEKS	OBO	F	74	1082	0.236	0.037	0.132	0.428	0.182	0.298
19 - 40 WEEKS	OBR	F	74	1082	29.437	5.003	16.982	54.471	22.215	38.339
41 - 70 WEEKS	OWT	F	9	139	0.722	0.153	0.407	1.087	0.498	0.993
41 - 70 WEEKS	OBO	F	9	139	0.251	0.049	0.150	0.389	0.172	0.329
41 - 70 WEEKS	OBR	F	9	139	36.846	8.863	20.532	93.749	26.203	49.815
> 70 WEEKS	OWT	F	6	216	1.034	0.305	0.458	2.784	0.674	1.558
> 70 WEEKS	OBO	F	6	216	0.276	0.080	0.148	0.700	0.185	0.414
> 70 WEEKS	OBR	F	6	216	50.935	14.611	24.837	137.078	34.563	77.841