

Health Monitoring Report

Based on FELASA Recommendations



Envigo Production Hillcrest
Hillcrest
Dodgeford Lane
Belton
Loughborough
LE12 9TE

Location

Building 27

Species

Rabbit

Date Populated

January 2008

Submission Date

March 04, 2024

Rabbit Strains Held

Rabbits

Hsdlf:NZW

Summary of Findings

No significant findings.

Stock rabbits are receiving a coccidiostat (robenidine hydrochloride, 66mg/Kg in the finished diet).

Report Reference: 24-0249, Report Printed: March 15, 2024

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Health Monitoring Report Based on FELASA Recommendations



Facility	Location			Species		
Envigo Production Hillcrest	Building 27			Rabbit		
Viruses	Test Frequency	Latest Test Date	Latest Results	Testing Laboratory	Test Method	Historical Results*
Rabbit haemorrhagic disease virus	1 month	04.03.24	0/10	UK	ELISA	0/190
Rabbit pox virus (Myxomatosis)	1 month	04.03.24	0/10	UK	ELISA	0/190
Rabbit Rotavirus	1 month	04.03.24	0/10	UK	ELISA	0/190
Bacteria, Mycoplasma and Fungi						
<i>Bordetella bronchiseptica</i>	1 month	04.03.24	0/20	UK	RT-PCR	0/320
<i>Clostridium piliforme</i>	1 month	04.03.24	0/10	UK	ELISA	0/190
Dermatophytes	12 months	07.08.23	0/10	UK	Culture	0/10
<i>Pasteurella multocida</i>	1 month	04.03.24	0/20	UK	RT-PCR	0/320
<i>Pasteurella pneumotropica</i>	1 month	04.03.24	0/20	UK	RT-PCR	0/320
<i>Salmonella</i> spp	3 months	05.02.24	0/10	UK	Culture	0/120
<i>Treponema cuniculi</i>	12 months	05.02.24	0/10	UK	HAI	0/60
Parasites						
Ectoparasites	1 month	04.03.24	0/20	UK	RT-PCR	0/320
<i>Encephalitozoon cuniculi</i>	1 month	04.03.24	0/10	UK	ELISA	0/190
Endoparasites	1 month	04.03.24	0/40	UK	Microscopy	0/700
Pathological Lesions						
External	6 months	05.02.24	0/10	UK	Pathology	0/30
Necropsy	6 months	05.02.24	0/10	UK	Pathology	0/30

Report Reference: 24-0249, Report Printed: March 15, 2024

Data are expressed as number positive/number tested. *Cumulative data up to 18 months.

All testing is performed by Envigo using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.